Receiving Report Date: Batch No: Supplier: Dart P/O: Packing Slip: Yes No Release Note Attached: Waybill Attached: Invoice: Yes Yes No Receipt: Cash Yes Cr Shipment Complete: Yes QC6 Inspection / N/A Work Order Discrepancies N/A N/A Part Quantity 04/12 Quantity Description Number Quantity Quantity Ordered Received Returned Comments Short Initials of receiver (if shipment OK) Level 12 Production/Admin: Date Received/Costing Location Initial

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Purchase Order Recei

Thursday, April 11, 2013 8:15:46 AM

All amounts are calculated in domestic currency.

Receipt Dates from 4/11/2013 to 4/11/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employ Grouped by Vendor ID All Vendors PO ID PO19409

| Book Amt | \$334.66 | | | \$316.94 | | 60.0000 | 0.0000 | \$651.61 | 0.0000 |
|---|--|----------------|-------------------|------------------|-------------------|--|--|----------------------|-----------------------------|
| | 0 | 0 | | 0 | 0 | mental property of the second | | | |
| MRB Qty/ MRB Reject Qty | | | | | | Ouantity: | PO U/M): | pt Value: | Quantity: |
| Inspected Qty/ Rejected Qty (PO U/M) | 0.0000 | 0.000 | | 0.0000 | 0.0000 | Total Received Ouantify: | Total Qty to Inspect (PO U/M): Total Deject Quantity: | Total Receipt Value: | Total Balance Due Quantity: |
| Cost Per Unit/ Recv Value | \$8.37 | \$334.66 | | \$15.85 | \$316.94 | 91 | Total Q | | Total |
| Recv Qty (PO U/M) | 40.0000 | 600. Sh | | 20.0000 | | | | | |
| Recv Date/ Recv Emp | 3/27/2013 4/11/2013 | 40.0000 DESJ02 | | 4/11/2013 | DESJ02 | on the same of the | | | |
| Required Date Required Qty | 3/27/2013 | 40:0000 | | 3/27/2013 | 20.0000 | | | | |
| \$ | , | | | | | | , i de la companya d | | 2 184 3 - \$ |
| PO U/M / Stock U/M | Hetaux Solutions 50W:04 f | 750 - f | | 50W.08 f | 5.750 f | | | | 7.00 |
| D Reference/ Description/ Cert Std | VC.MET002 = Metaux Solution Metaux Solution M4130NT0.750W:04 F | | x.0495W == 125252 | M4130NT0 750W.08 | 4130 RD Tube .750 | X:083 W 125252 | | | |
| chase Line Project ID Reference/ ler ID/ Nbr/ Description/ rr Type Insp. Cert Std | endör Name | S | | 3 | No | | * | | |
| Purchase 1 Order ID/ 1 Curr Type 2 | ndorID\Venc | ΥAD | | | - | | | | |

Shipping Order

Order

Bid

Ship

Reference

12/04/2013

MÉTAUX SOLUTIONS INC

2625 BOUL JACQUES CARTIER EST LONGUEUIL, QUEBEC

J4N 1L7

Tel.: 450 641-3330

Customer: 5323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7

JP

Ship To

: 129113

: 19409 : 6749

Same

: PICK UP / PICK UP

Tel: 1613632-3336

Qty. Delives B/O Oty Qty Description Item No. 30 x 20' ht:b8t1 4130N TUBE .750 X .049 DT3404930 ht;575333 4130N TUBE .750 X .083 DT3408330 1 X 22 ht;572138 SHIP TST COLLECT

| OLineian | | | | | Rd. : |
|------------------------|-----------|------|----------|--|-------|
| Shipping Package No | | | | _ | |
| Merchandise | Received: | | <u> </u> | | |

PAGE 07/09

WETAUX SOLUTIONS

420-335-8236

0d/JZ/S033 08:33

1 ::

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

32960-J PART NUMBER/NUMÉRO DE PIÈCE

Page 01 of 02

Certification Date 8-APR-2013

Invoice Number T314681

100182

SOLD TO: VENDU À: METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

Description: 4130 CDS TUBING AMS T 6736 COND N; .750 OD X 049 W (.652 ID) X 17/24' R/L L HEAT: (575333) _ Line Total: 48.8334 FT AMS 6360 L Specifications: MIL T 6736 B AMS T 6736 B CHEMICAL ANALYSIS S CR MO 0.001 0.90 0.17 0. P 0.007 MN 0.55 0.26 0.32 CU 0.10 COUNTRY OF ORIGIN : GERMANY RCPT: R914372 ______ MECHANICAL PROPERTIES ULT TEN %ELONG %RED
MPa IN 02 IN IN AREA % %RED HARDNESS YLD STR MPa 18.0 DESCRIPTION 888.0 835.0 GRAIN SIZE :9 - 10

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal stautes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

60/80 PAGE METAUX SOLUTIONS

420-335-8236

88:60 8102/21/0

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

32960-J PART NUMBER/NUMÉRO DE PIÈCE

Page 02 of 02

Certification Date 8-APR-2013



Invoice Number T314681

100182

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

VENDU À:

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7

2625 BOUL JACQUES CARTIER EST

LCNGUEUIL QC J4N 1

4130 CDS TUBING AMS T 6736 COND N; Lane Total: 48.8334 FT Description: .750 QD X .049 W (.652 ID) X 17/24 R/L

ITEM 100182 575333 HEAT:

MATERIAL IS FREE FROM MERCURY CONTAMINATION

DECARB: OK AMS NO :2301 SEVERITY :0.024 FREQUENCY:0.039

> The above dam were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrités sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport rencontre les spécifications décrites ci-haut.

> The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

CUSTOMER ORDER NUMBER NÚMÉRO DE COMMANDE DU CLIENT

32960-J PART NUMBER/NUMÉRO DE PIÈCE

Page 01 of 02

Certification Date 8-APR-2013

Invoice Number T314682

700188

SOLD TO: VENDU À: METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

P. & 13 Pally Description: 4130 CDS TUBING AMS T 6736 COND N; .750 OD X .083 W (.584 ID) X 17/24 R/L HEAT: 572138 Line Total: 20.1072 FT AMS 6360 L Specifications: DFARS 252.225-7001 ASTM E112 MIL T 6736 B AMS T 6736 B FAR 52.225-1 <u>ams 63</u>71 J ASTM A450 AMS 2301 FAR 52.225-5 ASTM E1444 AMS 2640 J

CHEMICAL ANALYSIS

C MN P S SI AL CR MO

0.32 0.5300 0.0090 0.002 0.25 0.032 0.91 0.16

NI PB CU V TI SN

NI PB CU V TI SN

0.09 0.001 0.13 0.003 0.002 0.02

RCPT: R923520 COUNTRY OF ORIGIN: GERMANY

MECHANICAL PROPERTIES

YLD STR ULT TEN %ELONG %RED HARDNESS

DESCRIPTION PSI IN 02 IN IN AREA RC
119515.0 127670.0 20.0 26
119000.0 126930.0 20.0 26
120630.0 128710.0 20.0 26

GRAIN SIZE :9 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de) état complet des transcrites du certificat d'essais du manufacturier après vérification de) état complet des spécifications inscrites sur le certificat. We hereby certify that the matérial covered by this report sylvifications inscrites sur le certificat. We hereby certify that the matérial covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihaut.

JOANNE DESPRES

9898-788-094 68:60 8107/71/40

B∀CE 02\0A

METAUX SOLUTIONS

1 1.

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

32960-J PART NUMBER/NUMÉRO DE PIÈCE

Page 02 of 02 Certification Date 8-APR-2013

Invoice Number $\bar{1}314682$

100188

SOLD TO: VENDU A. METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7

2635 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

Description:

4130 CDS TUBING AMS T 6736 COND N

.750 OD X .083 W (.584 ID) X 17/24' R/L

HEAT: 572138

TTEM: 100188

Line Total: 20.1072 FT

MATERIAL IS FREE FROM MERCURY CONTAMINATION

EDDY CURRENT: YES

DECARB: OK AMS NO :2301 SEVERITY :0.02 FREQUENCY: 0.029

COMMENTS melt source benteler steel & tube

germany

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under foderal statutes. /Les informations fausses, fictives ou

frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel souvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PO REPRINT

Just a cion-Collect

Purchase Order ID PO19409

Purchase Order Date 3/22/13 PO Print Date 3/26/13

Page Number 1 of 2

| Order From: METAUX SOLU 2625 BOUL JAC LONGUEUIL, Q CA | QUES-CARTHER EST | VC-MET002 | | * | | |
|--|------------------------------|-----------|---|--|----|----|
| Contact Name Vendor Phone Vendor Fax Vendor Account Nbr | 800 558 8858 514 633 8044 | | Buyer Requisition Nbr Tax Resale Nbr Terms Currency | Chan al Lavois 10127-2607 No. 50 | 14 | 20 |

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA

| Line Nbi | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req. Qty/ Unit of Measur | Sing Slethod | Unit Price | Extended Price |
|-------------|--|------------------------------|---|---|--------------|------------|-------------------|
| 1 | M304TS0.750W.049 | 304 SQ Tube .75x.75x.049W | 3/27/13 | 600.00 | 157 ground | \$3.8000 | \$2,280,00 |
| | — | | Yes | | ,ú | | , |
| | | Special Inst: | SQUARE TO ASTM A554 | 5 SEAMLESS SS JBING MILL FINISH OF MILL FINISH | 5 | | |
| 2 | M4130NT0.750W.049 | 4130 RD Tube .750 x.049W | 3/27/13 | 40.00 | F3T ground | \$8,5000 | \$340.00 |
| | | | Yes | f | | | |
| | 1 | Special Inst: | MATERIAL TUBING AS MIL-T-6736 6371/6360/6 6373/6374 | OR AMS | ē. | | |
| 3 | M4130NT0.750W.083 | 4130 RD Tube ,750 x.083W | 3/27/13 | 20.00 | TST ground | \$16.1000 | \$322.00 |
| <u>.</u> 2. | • | | Yes | f | | e | - 44.1 |
| | | Special Inst: | MATERIAL TUBING AS | AISI 4130N STEEL PER | • | | |

3/26/13

SP13-4-11



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO19409

Purchase Order Date 3/22/13 PO Print Date 3/26/13

Page Number 2 of 2

Order From :

METAUX SOLUTIONS 2625 BOUL JACQUES-CARTHER EST LONGUEUIL, QC J4N IL7

CA

Contact Name

Vendor Phone

800 558 8858 514 633 8044

Vendor Fax Vendor Account Nbr VC-MET002

Buyer

Requisition Nbr

Chantal Lavoic

Tax Resale Nbr

Tax Resale Nhr Terms

Currency FOB Net 30 CAD

10127-2607

Destination-Collect

MIL-T-6736 OR AMS 6371/6360/6361/6362 6373/6374

PO Total:

\$2,942.00

Q

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - YES NO

Change Nor:

2

Change Date: 3/26/13

9898-382-094 09:41 8102/80/40